Minimax

The smallest one




Features

Our juicers are totally automatic: There is no need to cut the oranges in half. Just place the oranges in the feeder basket and the machine will do everything for you at a high speed.

Our exclusive and unique rotating system is very attractive and visible, which attracts the attention of consumers, hence increases juice demand.

While squeezing, the juice is not in contact with the peel, avoiding the contact of the bitter taste with the juice.





Equipped with a 0.75 Hp motor and gears of steel, the Minimax model is certainly within the range of small equipment, the strongest and most robust machine on the market.

The machine is totally maintenance free.

Easy to dismantle, which takes only one minute, cleaning is really easy and will take less than 3 minutes.

Without touching the peel

Highly resistant front cover screen

*Double filter which filtrates the seeds



^{*} Included in machines with option self service




Capacity

15 Fruits per minute

Citres per hour

Places with small to medium consumption with limited space:

Coffee shops, Bar, Cocktail bars, Small hotels, Small restaurants, Juice bars, ...



Options



STAND

Mini stand.

ORANGE COUNTER

Counts the amount of oranges that have been juiced by the machine, allowing the customer to monitor consumption.

AUTOMATIC SHOWER

This option provides a flushing system that cleans quickly the juicing area, saving time and labour cost and keeping the juicer clean and hygienic at all times.

SELF SERVICE TAP

The easy-to-use automatic tap is connected directly to the motor of the machine. Open the tap and the machine starts running. Close the tap and the machine stops. Perfect solution for buffet services. Anti-dripping system.

COLOURS

Orange colour

Silver colour

Burdeos colour

Cobalto colour











Specifications

O Motorforce group

Voltage (monophasic)

Consumption

(E) Electrical protection

Security |

Fruit Diameter

Capacity of peel bucket

Capacity of feeder

_____Weight

Motor reducer 0,75 Hp

230V. - 50/60 Hz 115v - 60 Hz

4,1/3,7 A 9/8,6 A

Overloading and temperature

Automatic inductive proximity sensor

60 - 80 mm (2,36" - 3,15")

9 Kg (19,8 lbs) Minimax

15 Kg (33lbs) Minimax + mini stand

6 Fruits

51,3 Kg (113,1 lbs) Minimax 83,5 Kg (182,1 lbs) Minimax + mini stand

















ALVEX, spol. s r.o. divízia GASTRO

Štefánikova 35 SK-90028 Ivanka pri Dunaji (SC) Tel. 02 45 944 211 Email. info@alvexgastro.sk www.alvexgastro.sk

















